

Eye Mask Cream

- **Formula Number:** L-24111801
- **Efficacy positioning:** Result Anti-wrinkle, whitening and dark circles removal.
- **Core Ingredients:** 1.5%ZLEY®Fupolurry
+3%ZLEY®PE801-blikkye+2%ZLEY®PE203-KAENDA

Phase	Ingredient	INCI name	ω%	Supplier
A	Deionized water	Water	To 100	—
	Glycerin	Glycerin	2.00	—
	Betaine	Betaine	0.80	ZLEY
	Allantoin	Allantoin	0.20	ZLEY
	SK-425	Ammonium Polyacryloyldimethyl Taurate	0.30	—
	2NA	Disodium Edta	0.02	—
B	2EHP	Ethylhexyl Palmitate	12.00	—
	15# White Oil	Mineral Oil	5.00	—
	Shea butter	Butyrospermum Parkii (Shea)Butter	1.20	—
	A165	Glyceryl Stearate PEG-100 Stearate	2.00	—
	M68	Cetearyl Alcohol Cetearyl Glucoside Water Glucose	1.00	—
	VE	Tocopheryl Acetate	0.50	—
C	EG	Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer Isohexadecane Polysorbate 80	2.50	—
C1	ZLEY®Fupolurry	Ferulic Acid Diethylhexyl Syringylidenemalonate Hydrogenated Lecithin Caprylic/capric Triglyceride Cera Alba	1.50	ZLEY
D	ZLEY®BIOCARE-PCH	Chlorphenesin Phenoxyethanol 1,2-Hexanediol	0.80	ZLEY
	ZLEY®PE203-KAENDA	Piper Methysticum Root Extract	2.00	ZLEY

	ZLEY®PE801-blikkye	Garcinia Cambogia Fruit Extract Aesculus Chinensis Extract Arginine Lactobionic Acid Pentylene Glycol Butylene Glycol Water	3.00	ZLEY
	ST Liquid	Diethylhexyl Syringylidenemalonate	0.15	—

Formula reference cost: \$360/kg

Operation steps:

1. Mix the A phase material, stirring and heating to 85 °C, homogenization 3min, add the B phase homogenization 5min, add the C phase homogenization 3min.

2.50 °C to add C1-phase raw materials to play homogenization to uniform, in turn add D-phase material, stirring;

45 °C, out of the material

Physicochemical and stability parameters:

Appearance	Milky white cream
pH (10% Sol.)	5.14
μ/mPa-s (25°C) mpa.s	4#6 87174mpa.s
45°C	Testing
Ambient temperature	Testing
-15°C	Testing
Hot and cold cycles Under test	Testing
Centrifugation (30min, 2000r/min)	--

Note: This formula is for reference only, and has not been tested for scaled-up production. If you have any questions, please contact our regional sales team.